

ASSIGNEDSerial No. **59714****APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED****JAN 20 1994**

Date of filing in State Engineer's Office

Returned to applicant for correction

Corrected application filed

Map filed

JAN 20 1994The applicant **John J. Shipp****5025 S. Eastern #16 Box 415**

of

Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89119

State and Zip Code No.

hereby make application for permission to change the

Point of diversion and place of use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under **Permit number 53144**

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.

- The source of water is **underground**
Name of stream, lake, underground spring or other source.
- The amount of water to be changed **0.01 CFS**
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
- The water to be used for **quasi municipal purposes**
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water heretofore permitted for **quasi municipal purposes**
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water is to be diverted at the following point **Within the Northwest one-quarter of the South-east one-quarter of Section 24, Township 22 South, Range 60 East, MDM, from which the center one-quarter corner of said**
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
Section 24, bears North 04° 55' 17" West a distance of 496.75 feet.
- The existing permitted point of diversion is located within **Within the Northwest one-quarter (NW $\frac{1}{4}$) of the Southeast one-quarter (SE $\frac{1}{4}$) of Section 24, Township 22 South, Range 60 East, MDM from which the center one-quarter corner of said Section 24, Township 22 South, Range 60 East, MDM bears North 26° 11' 50" West a distance of 1103.58 feet.**
If point of diversion is not changed, do not answer.
- Proposed place of use **a portion of the Southwest one-quarter (SW $\frac{1}{4}$) of the Northwest one-quarter (NW $\frac{1}{4}$) of the Northwest one-quarter (NW $\frac{1}{4}$) of the Southeast one-quarter (SE $\frac{1}{4}$) of Section 24, Township 22 South, Range 60 East, MDM.**
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
- Existing place of use **a portion of the Southeast one-quarter (SE $\frac{1}{4}$) of the Southwest one-quarter (SW $\frac{1}{4}$) of the Northwest one-quarter (NW $\frac{1}{4}$) of the Southeast one-quarter (SE $\frac{1}{4}$) of Section 24, Township 22 South, Range 60 East, MDM**
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
- Use will be from **January 1st** to **December 31** of each year.
Month and Day Month and Day
- Use was permitted from **January 1st** to **December 31** of each year.
Month and Day Month and Day
- Description of proposed works (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) **existing water system consists of an 8" steel cased well, 5hp. pump, 500 gallon storage tank, pressure tank and appurtenances.**
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.
- Estimated cost of works **none**
- Estimated time required to construct works **well is complete, see item no. 11**

14. Estimated time required to complete the application of water to beneficial use..... five years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Well to service four homes.

s/John J. Shipp

By 940 S. Martin L. King Blvd.
Las Vegas, Nevada 89106

Compared pm/vjw pm/vjw

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 53144 is issued subject to the terms and conditions imposed in said Permit 53144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water.

This permit is issued to correct the place of use and point of diversion of Permit 53144, which incorrectly represented the intended location, Permit 51745 already at the place of use of Permit 53144.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 18, 1996

Proof of completion of work shall be filed before August 18, 1996

Application of water to beneficial use shall be made on or before July 18, 1999

Proof of the application of water to beneficial use shall be filed on or before August 18, 1999

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUN 20 1995

Proof of beneficial use filed.....


Cultural map filed.....

Certificate No. Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 18th day of July

A.D. 19 94


State Engineer